



Ergotron® Mobile WorkCenter

A self-contained computer workstation on wheels

Highlights

- *Flat Panel or CRT Monitor Arm provides full adjustability—allowing you to position your monitor for maximum comfort and productivity*
- *Easily customized with multiple configuration options*
- *Many components are adjustable in 1" increments*
- *Locking storage drawers and CPU cabinets*
- *Heavy-duty, lockable casters provide smooth movement*
- *Stainless steel worksurface and footrest options*
- *Internal cable management conceals and routes cables*
- *Durable steel construction*
- *Compact footprint takes up little floor space and easily fits through doorways*
- *Industry leading warranty*



Ergotron is a registered trademark of Ergotron, Inc.
Reproduction of this material in whole or in part for any purpose other than
that authorized by Ergotron, Inc. is prohibited.

© 2004 Ergotron, Inc. All rights reserved.


Table of Contents

Introduction	4
Sample Configurations	5
How to Configure Your System	6
Product Selections	7–13
Base Unit	7
Worksurfaces	7
Footrests.	7
Monitor Mounts	8
Flat Panel Mounts	8
CRT Suspension Arm & Pole Assembly	8
Monitor Platform Assembly	8
Keyboard Mounts.	9–10
Keyboard Drawers	9
Wire Keyboard Holders.	9
Keyboard Tray Holders & Keyboard/Mouse Trays.	9
Articulating Keyboard Arms	10
Wrist Rests & Mouse Accessories	10
Laptop Mount	10
Storage Options.	11–12
Shelves	11
UPS Holder	11
Storage Drawers.	12
CPU Cabinet	12
Accessories.	13
Cable Management	13
Security Straps.	13
Power Strips & Surge Suppressors	13
Component Height Guide & Worksheet.	14–15

Introduction


Take computing to any area! The Mobile WorkCenter cart organizes an entire computer system in a self-contained workstation on wheels. The monitor systems free up the worksurface while providing ergonomic positioning for the operator. Optional drawers, shelves and cabinets accommodate supplies, tools and equipment. This cart's steel construction is tough enough for heavy loads and versatile for a variety of environments.

Mobile WorkCenter capabilities:




Sample Configurations

Configure your own system with Ergotron's modular components. Here are some examples of common configurations.




Sample A

- 10-081-100 Base Unit: Frame, Legs, Casters and Cable Winding Bracket
- 55-060-998 Laminated Worksurface
- 65-076-100 Mounting Hardware for Worksurface
- 85-017-100 Footrest Bar, painted
- 45-088-180 300 Series Arm, Desk Mount for Flat Panel Monitor
- 77-034-100 Keyboard Drawer with Sliding Mouse Tray
- 50-108-100 Server Shelf
- 50-109-100 19" Tower Shelf
- 68-012-100 4"-Deep Storage Drawer




Sample B

- 10-081-100 Base Unit: Frame, Legs, Casters and Cable Winding Bracket
- 97-061 Caster Bumper Kit
- 55-060-998 Laminated Worksurface
- 65-076-100 Mounting Hardware for Worksurface
- 85-021-100 Platform Footrest
- 44-193-100 2" x 2" Pole with 6" Vertical "B" Arm
- 40-043-100 Type 3T Monitor Caddy
- 75-038 Keyboard Arm with Adjustment Lever
- 77-026-098 Keyboard Tray with Sliding Mouse Tray
- 50-110-100 15" Tower Shelf/UPS Cover
- 97-069 Ergolock Kit: 4" Security Straps (2) with Fasteners




Sample C

- 10-081-100 Base Unit: Frame, Legs, Casters and Cable Winding Bracket
- 97-061 Caster Bumper Kit
- 55-060-998 Laminated Worksurface
- 65-076-100 Mounting Hardware for Worksurface
- 85-021-100 Platform Footrest
- 44-193-100 2" x 2" Pole with 6" Vertical "B" Arm
- 40-002-100 Type 2 Monitor Caddy
- 77-034-100 Keyboard Drawer with Sliding Mouse Tray
- 50-110-100 15" Tower Shelf/UPS Cover
- 68-012-100 (4) 4"-Deep Storage Drawer




Sample D

- 10-081-100 Base Unit: Frame, Legs, Casters and Cable Winding Bracket
- 97-061 Caster Bumper Kit
- 55-061-004 Stainless Steel Worksurface
- 65-076-100 Mounting Hardware for Worksurface
- 85-021-100 Platform Footrest
- 50-106-100 Monitor Platform Assembly: Adjustable Pole, 14" x 14" Platform & Strap Kit
- 50-110-100 15" Tower Shelf/UPS Cover
- 50-107-100 UPS Holder



Sample E

- 10-081-100 Base Unit: Frame, Legs, Casters and Cable Winding Bracket
- 97-061 Caster Bumper Kit
- 55-060-998 Laminated Worksurface
- 65-076-100 Mounting Hardware for Worksurface
- 85-021-100 Platform Footrest
- 77-034-100 Keyboard Drawer with Sliding Mouse Tray
- 45-100-180 300 Series Arm, Desk Mount for Laptop Computer
- 50-117-100 Laptop Tray
- 50-110-100 15" Tower Shelf/UPS Cover
- 50-107-100 UPS Holder
- 68-012-100 (2) 4"-Deep Storage Drawer



Sample F


- 10-081-100 Base Unit: Frame, Legs, Casters and Cable Winding Bracket
- 97-061 Caster Bumper Kit
- 85-021-100 Platform Footrest
- 50-110-100 15" Tower Shelf/UPS Cover
- 50-107-100 UPS Holder
- 68-012-100 4"-Deep Storage Drawer

How to Configure Your System

A

Start with the Base Unit


Base Unit: Frame, Legs, Casters, Cable Winding Bracket



B


Select a Worksurface

Worksurface & Mounting Hardware




C

Select a Footrest



D

Select a Monitor Mount for flat panel or CRT monitor




E

Select a Keyboard Mount


Articulating Keyboard Arm & Tray

Keyboard Tray Holder & Keyboard Tray




F

Select Storage Options



G


Add Accessories as needed



Base Unit, Worksurfaces & Footrests

Build your Mobile WorkCenter with product selections on the following pages. All components are modular, so you can customize a solution that fits your exact requirements. Once you have selected components, if you would like your system pre-assembled, use the worksheet on page 14 to indicate how your system should be configured. Standard Mobile WorkCenter color is grey.

Base Unit




The Base Unit consists of the Frame, Legs, Casters and Cable Winding Bracket. Optional Caster Bumpers guard against accidental collisions.

Part Number	Description	Dimensions W x D x H	Weight Capacity
10-081-100	Base Unit: Frame, Legs, Casters, Cable Winding Bracket	22" x 26" x 42-1/2" (559 x 660 x 1079 mm)	880 lbs (399.5 kg)

Caster Accessories

97-061 Caster Bumper Kit: 4 bumpers


Worksurfaces



Choose a Laminated Worksurface or a Stainless Steel Worksurface. Both require separately ordered Mounting Hardware, which attaches the Worksurface to the cart's frame.

Part Number	Description	Dimensions W x D x H
55-060-998	Laminated Worksurface	22" x 20" x 1-1/16" (559 x 508 x 27 mm)
55-061-004	Stainless Steel Worksurface	22" x 20" x 1-1/16" (559 x 508 x 27 mm)
65-076-100	Painted Mounting Hardware	18" x 4-1/2" (457 x 114 mm)

Footrests




Install a Footrest to provide more ergonomic comfort to the user.

Part Number	Description	Dimensions W x D
85-017-100	Bar Footrest, painted	20" x 6" (508 x 152 mm)
85-018-004	Bar Footrest, stainless steel	20" x 6" (508 x 152 mm)
85-021-100*	Platform Footrest	19-7/8" x 9-3/4" (505 x 248 mm)

***Note:** Platform Footrest may be ordered alone or with 15" Tower Shelf (50-110-100). Platform Footrest cannot be used with 19" Tower Shelf (50-109-100). Only order Bar Footrest with 19" Tower Shelf.

Monitor Mounts

Flat Panel Mounts



45-088-180
300 Series Arm

Ergotron flat panel mounts offer height adjustment* to accommodate different users. Features: 180° up/down monitor tilt; 180° side-to-side monitor tilt; 360° portrait/landscape (P/L) monitor rotation; arm swings side-to-side 360°; integrated cable management. Arms clamp to cart's frame.


Part Number	Description	Weight Capacity
45-088-180	300 Series Arm, Desk Mount (Clamp/Grommet) Arm	23 lbs (10.4 kg)

* Height adjustment range is 14" (356 mm) for 45-088-180 when placed on the Mobile WorkCenter. Monitor size may affect this range.

Note: Monitor interfaces that are not VESA FDMI compliant require a separately ordered, custom bracket. Contact your Sales Representative for more information.

Note: Other Flat Panel Mounts are available. See our Flat Panel Orderguide (870-03-005) on our web site, www.ergotron.com, for more details.

CRT Suspension Arm and Pole Assemblies



CRT Suspension Arm & Pole Assembly

Monitor Caddy

Suspend a CRT above the Worksurface. The Arm adjusts to provide ergonomic monitor positioning. Through-holes in Poles conceal cables. Separately-ordered Caddy required.

Part Number	Description	Dimensions W x D x H	Weight Capacity
44-193-100	CRT Suspension Arm & Pole Assembly, 2" x 2" Pole w/ "B" Suspension Arm	2" x 2" x 44" (51 x 51 x 1118 mm)	35–65 lbs (15.9–29.5 kg)


Note: Height Adjustment Range = 6" (152 mm); Up/Down Tilt = 20°; Side-to-Side Rotation = 360°

Use Monitor Caddies in conjunction with CRT Suspension Arms. Select the Caddy appropriate to your monitor's size.


Part Number	Description	Height Adjustment	Monitor Depth*	Monitor Width*	Weight Capacity*
40-002-100	Type 2 Monitor Caddy	12"–15-1/2" (305–394 mm)	16-1/2" (419 mm)	—	40 lbs (18.2 kg)
40-004-100	Type 3 Monitor Caddy	13-1/2"–18-1/2" (343–470 mm)	19" (483 mm)	—	65 lbs (29.5 kg)
40-043-100**	Type 3T Monitor Caddy	13"–18-1/2" (330–470 mm)	—	13-7/8" (352 mm)	70 lbs (31.8 kg)

* Monitor depth, width and weight specifications are listed as maximum measurements.

** For wide-backed monitors; maximum rear monitor width is 13-7/8", measured 13" from front of monitor.



Monitor Platform Assembly



Security Straps included


50-106-100
Platform Assembly

The Monitor Platform Assembly positions a monitor (up to 125 lbs in weight) above the Worksurface. Adjust the height of the Pole to the desired position.

Part Number	Description	Dimensions W x D	Weight Capacity
50-106-100	Monitor Platform: Height Adjustable Pole, 14" x 14" Platform, Security Strap Kit	14" x 14" (356 x 356 mm)	125 lbs (56.7 kg)

Keyboard Mounts

Keyboard Drawers




Keyboard Drawers mount below the Worksurface, taking up only two inches of vertical space. Smoothly slides in and out.

Part Number	Description	Dimensions W x D x H (OD)	Pull-out Distance	Weight Capacity
77-033-100	Keyboard Drawer	20-1/8" x 12" x 1-1/2" (511 x 305 x 38 mm)	11-3/4" (298 mm)	50 lbs (22.7 kg)
77-034-100	Keyboard Drawer w/ Sliding Mouse Tray	20-1/8" x 12" x 1-1/2" (511 x 305 x 38 mm)	11-3/4" (298 mm)	50 lbs (22.7 kg)

Wire Keyboard Holders


Wire Keyboard Holders



Wire Keyboard Holders are designed for efficiency and ease of use. Attach Holders to Monitor Caddies, Platforms or Worksurfaces. The pull-out feature allows the keyboard to be stored out of the way, yet within easy reach. Tilt up or down in 15° increments.

Part Number	Description	Dimensions W x D x H	Weight Capacity
75-052-009	Wire Keyboard Holder 2" drop, pull-out	12-7/8" x 23-1/2" x 4-1/2" (327 x 597 x 114 mm)	15 lbs (6.8 kg)
75-053-009	Wire Keyboard Holder 4" drop, pull-out	12-7/8" x 23-1/2" x 6-1/2" (327 x 597 x 165 mm)	15 lbs (6.8 kg)


Keyboard Tray Holders & Keyboard/Mouse Trays




Wire Keyboard Holders are designed for maximum flexibility and ease of use. Keyboard Tray Holders are used in conjunction with the separately ordered Keyboard/Mouse Trays. Attach Holders to Monitor Caddies, Platforms or Worksurfaces. The pull-out feature allows the keyboard to be stored out of the way, yet within easy reach. Tilt up or down in 15° increments.

Part Number	Description	Dimensions W x D x H	Weight Capacity
75-054-009	Keyboard Tray Holder 2-1/2" drop, pull-out	12-7/8" x 18-3/8" x 4" (328 x 467 x 102 mm)	15 lbs (6.8 kg)
75-055-009	Keyboard Tray Holder 5" drop, pull-out	12-7/8" x 18-3/8" x 7-1/2" (328 x 467 x 191 mm)	15 lbs (6.8 kg)

77-050-100, Keyboard
Tray w/ Sliding Mouse
Tray & Wrist Rest
Holder



77-049-100
Keyboard Tray



85-014-100
Front Mouse Tray


Keyboard/Mouse Trays are used in conjunction with Keyboard Tray Holders.

Part Number	Description	Dimensions W x D x H	Use with Part #...
77-049-180	Keyboard Tray	16-1/2" x 7-1/4" x 2" (419 x 184 x 51 mm)	75-054-009 or 75-055-009
77-050-180	Keyboard Tray w/ Sliding Mouse Tray & Wrist Rest Holder	17-1/2" x 9"-12" x 2-1/2" (445 x 229-305 x 64 mm)	75-054-009 or 75-055-009
85-014-100	Front Mouse Tray	7-1/4" x 7-1/8" x 1" (184 x 181 x 25 mm)	77-049-180
85-024-180	Sliding Mouse Tray & Wrist Rest Holder		77-049-180


Note: Sliding Mouse Tray slides left or right, depending on user preference.

Keyboard Mounts

Articulating Keyboard Arm



75-038
Articulating Keyboard
Arm w/ Adjustment
Lever



77-026-098
Keyboard Tray w/
Sliding Mouse Tray for
Articulating Arm



The Articulating Keyboard Arm mounts below the Worksurface. This arm offers full adjustment: slides out; lifts 6 inches; rotates 360°; tilts fore/aft. The Sliding Mouse Tray slides left or right, depending on user preference.

Part Number	Description	Slide Track Length	360° Arm Rotation
75-037	Articulating Keyboard Arm w/ Adjustment Knob	17-1/16" (433 mm)	no
75-038	Articulating Keyboard Arm w/ Adjustment Lever	16-13/16" (427 mm)	yes
77-026-098	Keyboard Tray w/ Sliding Mouse Tray for Articulating Arm		
85-008-098	Wrist Rest for Articulating Arm (black)		

Wrist Rests & Mouse Accessories

85-033,
Wrist Rest



85-025-079,
Mouse Pad



99-033-078
Mouse Pouch




Wrist Rests and Mouse Accessories enhance comfort.

Part Number	Description	Dimensions W x D x H	Use with Part #...
85-033	Wrist Rest (black)	19" x 3" x 3/4" (483 x 76 x 19 mm)	77-033-100, 77-050-180 77-034-100, 85-024-180
85-010-087	Wrist Rest, premium, easy-clean (grey)	19" x 3" x 3/4" (483 x 76 x 19 mm)	77-033-100, 77-050-180 77-034-100, 85-024-180
85-025-079	Mouse Pad	7" x 7" x 1/4" (178 x 178 x 6 mm)	
99-033-078	Mouse Pouch	3" x 2" x 4-1/2" (76 x 51 x 114 mm)	

Laptop Mount

45-100-180
300 Series Arm




50-117-100
Laptop Tray

Integrate a notebook computer into your configuration while keeping the Worksurface open. This Arm provides ergonomic height adjustment, 180° up/down tilt, and 360° rotation to place the laptop where it's needed. Arm clamps to cart's frame. Includes fasteners to hold laptop in place on Tray.

Part Number	Description	Dimensions W x D x H	Weight Capacity
45-100-180	300 Series Arm, Desk Mount (Clamp/Grommet) Keyboard/Laptop Pivot Arm		7.5 lbs (3.4 kg)
50-117-100	Laptop Tray	8" x 9" x 2-1/8" (203 x 229 x 54 mm)	7.5 lbs (3.4 kg)



Storage Options

Shelves




Server Shelves hold CPUs and other peripherals weighing up to 200 lbs. It mounts between the frame's uprights. An optional Shock Pad provides cushioning for equipment.

Part Number	Description	Dimensions W x D x H	Weight Capacity
50-108-100	Server Shelf	19-3/4" x 19-3/4" x 3-3/4" (502 x 502 x 95 mm)	200 lbs (90.8 kg)
85-019	Rubber Shock Pad for MWC Server Shelf	19-3/4" x 19-3/4" x 3/8" (502 x 502 x 10 mm)	



19"* and 15"* Tower Shelves: Provide mounting space for tower CPUs. Attaches between the cart's legs.



The 15" Tower Shelf also acts as a cover for the UPS Holder. Includes cable through-holes. Must be mounted with UPS Holder or Platform Footrest.




Part Number	Description	Dimensions W x D x H	Weight Capacity
50-109-100*	19" Tower Shelf	19-3/4" x 19-1/2" x 1-3/4" (502 x 495 x 44 mm)	200 lbs. (90.8 kg)
50-110-100**	15" Tower Shelf/ UPS Cover	19-3/4" x 14-3/4" x 1-3/4" (502 x 375 x 44 mm)	200 lbs. (90.8 kg)

* 19" Tower Shelf mounts between Mobile WorkCenter Legs; CANNOT be used with the Platform Footrest. Order a Bar Footrest when installing 19" Tower Shelf.

** Install 15" Tower Shelf only with UPS Holder (50-107-100) or Platform Footrest (85-021-100), which help support the Shelf.




UPS Holder



The UPS Holder mounts under the cart's frame, storing the UPS or Power Supply where it's protected and out of the way. Includes cable through-holes and vented panels. An optional Shock Pad provides cushioning for equipment.


Part Number	Description	Dimensions W x D x H	Weight Capacity
50-107-100	UPS Holder	19-3/4" x 10" x 8-3/4" (502 x 254 x 222 mm)	200 lbs (90.8 kg)
85-020	Rubber Shock Pad for UPS Holder	19-3/4" x 10" x 3/8" (502 x 254 x 10 mm)	

Note: 15" Tower Shelf (50-110-100) may be used as a cover.




Storage Options

Storage Drawers




Storage Drawers include a keyed lock for secure storage of tools and supplies.

Part Number	Description	Dimensions W x D x H
68-012-100	4"-Deep Storage Drawer	20" x 17-1/2" x 4" (508 x 445 x 102 mm)
68-113-100	8"-Deep Storage Drawer	20" x 17-1/2" x 8" (508 x 445 x 203 mm)




68-012-100
4"-Deep Storage Drawer





68-113-100
8"-Deep Storage Drawer

CPU Cabinet



The CPU Cabinet provides a secure enclosure for equipment up to 18-3/8" wide. It features a lockable, hinged front panel and a lockable, removable back panel. Bottom and rear are vented. Includes cable through-holes.


Part Number	Description	Dimensions W x D x H	Weight Capacity
80-062-100	20"-Wide CPU Cabinet	20" x 21" x 8" (508 x 533 x 203 mm)	125 lbs (56.7 kg)



CPU Cabinet
(back panel removed)

Accessories

Cable Management



Cable Management Channels are composed of rigid, non-conductive plastic. Channels readily adhere to the cart's frame, shelves, etc. To use Channels, simply snap open the cover, then route cables and snap the cover closed.


Part Number	Description	Dimensions L x W x D
70-008-089	24" Cable Channel	24" x 1-5/8" x 1" (610 x 41 x 25 mm)
70-011-089	32" Cable Channel	32" x 1-5/8" x 1" (813 x 41 x 25 mm)
70-017-089	12" Cable Channel (set of 6)	12" x 1-5/8" x 1" (305 x 41 x 25 mm)
70-038-089	12" Cable Channel	12" x 1-5/8" x 1" (305 x 41 x 25 mm)

Cable Winding Bracket: Wrap extra cable around this bracket to prevent tangles. There are several mounting locations on the cart for the bracket. The Cable Management Routing Kit includes ties and clips that help organize cables.

Part Number	Description
60-102-100	Cable Winding Bracket
97-020	Cable Management Routing Kit


Note: Base Unit (10-081-100) includes **one** Cable Winding Bracket.

Security Straps




Security Straps lock equipment to Shelves, Platforms, etc. Choose either Hold-down Strap & Buckle Kits or Adhesive Clamps with Locking Straps.

Part Number	Description
97-068	Ergolock PC Kit: 4" Strap (4) w/ Fasteners & leash (1)
97-069	Ergolock Kit – 50 lbs capacity: 4" Strap (2) w/ Fasteners
97-070	Ergolock Kit – 100 lbs capacity: 4" Strap (2) w/ Fasteners
97-071	Ergolock Kit – 200 lbs capacity: 5" Strap (2) w/ Fasteners
97-072	Fasteners (4) – 100 lbs capacity each
97-073	48" Roll of Locking Strap
97-116-00	Ergolock Lift-off Tool with replacement adhesive pads



Power Strips & Surge Suppressors



Ergotron Power Strips and Surge Suppressors attach directly to the cart's frame. They feature sturdy aluminum housing and a 15-foot cord.

Part Number	Description
83-002	6-outlet Power Strip (15 amp)
83-006	6-outlet Surge Suppressor (15 amp)

Worksheet for System Preassembly & Component Height Guide

The table below and accompanying illustrations on page 15 can be used in two ways: 1) If Ergotron is going to pre-assemble your Mobile WorkCenter, fill out the table and send it to your Sales Representative. 2) The information can be used to help you understand Mobile WorkCenter composition and assembly.

Please fill in the "Desired Height" column. Ergotron will install components according to these specifications. Your system will be shipped pre-assembled. Write "n/a" for items you will not be using.

Product	Found on Page #	Height Range*	Mounting Increments	Illustration Height (see page 15)	Desired Height
1. CRT Suspension Arm & Pole	8	66"–78"	1"	73"	
2. Monitor Caddy	8	10"–18.5"	1/4"	15"	
3. Monitor Platform	8	46.5"–51"	1"	47"	
4. Worksurface	7	16.5"–42.5"	1"	42.5"	
5a. (#1) 4" Drawer	12	15.5"–42.5"	1"	35.5"	
(#2) 4" Drawer	12	15.5"–42.5"	1"	35.5"	
(#3) 4" Drawer	12	15.5"–42.5"	1"	35.5"	
(#4) 4" Drawer	12	15.5"–42.5"	1"	35.5"	
(#5) 4" Drawer	12	15.5"–42.5"	1"	35.5"	
(#6) 4" Drawer	12	15.5"–42.5"	1"	35.5"	
5b. (#1) 8" Drawer	12	19.5"–42.5"	1"	n/a	
(#2) 8" Drawer	12	19.5"–42.5"	1"	n/a	
(#3) 8" Drawer	12	19.5"–42.5"	1"	n/a	
6. (#1) CPU Cabinet	12	20.3"–33.3"	1"	28.3"	
(#2) CPU Cabinet	12	20.3"–33.3"	1"	28.3"	
7. (#1) Server Shelf	11	11"–29"	2"	15.8"	
(#2) Server Shelf	11	11"–29"	2"	15.8"	
(#3) Server Shelf	11	11"–29"	2"	15.8"	
(#4) Server Shelf	11	11"–29"	2"	15.8"	
(#5) Server Shelf	11	11"–29"	2"	15.8"	
8. 15" Tower Shelf/UPS Cover**	11	10.6"***	n/a	10.6"	
9. 19" Tower Shelf**	11	7.5", 10.6"***	(choose one)	7.5"	
10. Bar Footrest	7	8.6" or 9.9"	(choose one)	9.9"	
11. Platform Footrest**	7	8.8"	n/a	8.8"	
12. UPS Holder**	11	10.5"	n/a	10.5"	
13. Cable Winding Bracket	7, 13		(choose location)		

Circle mounting location for Bracket:

Center horizontal frame rail
 Lower horizontal frame rail
 Back of Server Shelf
 Back of UPS Holder
 Back of 15" Tower Shelf
 Back of 19" Tower Shelf
 Back of Drawer Cover

Other Components / Notes:



* All heights measured from the ground to the top of the component surface, except for the Monitor Caddy (its measurement reflects the inside dimension) and the Server Shelf (it is measured from the ground to its bottom surface). Ask your Sales Representative to see the Installation Manual for further details.

** These items are fixed in height and may not be adjusted.

*** 15" Tower Shelf Mounted at 10.6" requires the UPS Holder or Platform Footrest

19" Tower Shelf Mounted at 10.6" requires the UPS Holder. (Cannot be used with Platform Footrest)

All heights are measured from the ground to the top of the component surface. Exceptions: The Monitor Caddy (its measurement reflects the inside dimension) and the Server Shelf (it is measured from the ground to its bottom surface). Ask your Sales Representative to see the Installation Manual for further details or download the Installation Manual, 888-24-012, from www.ergotron.com (click on Support).



Maximize the effectiveness of your computer systems with Ergotron Products



Since 1982, Ergotron has designed and engineered products specifically for improving the human interface with computers. Innovative engineering concepts incorporate the human factor into each and every product. With our patented Monitor Suspension technology as the core, Ergotron designs Mounting Solutions that consistently meet the ever changing needs of our customers.

Our experienced Sales Representatives will work with you to define your requirements and custom configure standard components to cost-effectively meet those requirements. If you do not see a product that meets your requirements, call us and we will tailor a solution to your needs.

© 2004 Ergotron, Inc.
rev. 06/01/2004 870-03-010

Ergotron, Inc.: St. Paul, MN; (800) 888-8458;
www.ergotron.com; sales@ergotron.com

Ergotron Europe: Amsterdam, The Netherlands;
Tel. +31 20 312.29.39; info.eu@ergotron.com

Ergotron Canada: Calgary, Alberta;
(800) 267-9912; info.ca@ergotron.com

